



• JSON Key `codeQueryCodeDetail`

필드명	타입	필수	예시	설명
code	String	☐	0000	
saleChannelOrderId	String	☐	00000000	
saleChannelName	String	☐	00000	
saleChannelCode	String	☐	000code	
sendChannelName	String	☐	00000	
useTimes	Integer	☐	00000	
remainTimes	Integer	☐	00000	
verifyTimes	Integer	☐	0000	
createDate	String	☐	0000	yyyyMMdd
createTime	String	☐	0000	yyyyMMddHHmmss
validStart	String	☐	000000	yyyyMMddHHmmss
validEnd	String	☐	000000	yyyyMMddHHmmss
activateDate	String	☐	0000	yyyyMMdd
activateTime	String	☐	0000	yyyyMMddHHmmss
activateShopNo	String	☐	0000	
verifyDate	String	☐	0000	yyyyMMdd
verifyTime	String	☐	0000	yyyyMMddHHmmss
status	String	☐	00	
statusDesc	String	☐	0000	
cityCheck	String	☐	00000000	Y☐N☐00000000000000000000
ticketId	String	☐	00000000id	00000000000000000000id
whaleTicketId	String	☐	☐id	00000000id☐☐1000000000
ticketName	String	☐	000	
activityId	String	☐	☐☐id	
activityName	String	☐	0000	
faceValue	Number	☐	000	0000

필드명	타입	필수	길이	비고
shopNo	String	필수	10	
shopName	String	필수	10	
codeRemark	String	필수	10	
ebuyActivityProductId	String	필수	10	id
ebuyActivityProductNo	String	필수	10	
fundsChannel	Object<fundsChannel>	필수	10	10
remainFundsChannel	Object<remainFundsChannel>	필수	10	
fundsChannels	Array<fundChannel>	필수	10	10

Revision #1

Created 3 March 2025 10:23:50 by jiyong

Updated 3 March 2025 10:23:50 by jiyong