

--	--	--	--	--	--	--

--	--	--	--

- whale-gateway

--	--	--	--

- [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] whale-gateway [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] gateway [ ]

## action

- **MakeCode**

**whale==>whale-gateway**

項目名	データ型	必須	制約	注
channelId	String	○	1000	
channelTicketId	String	○	10000	
codeValidEnd	String	○	yyyyMMdd	yyyyMMdd235959
codeValidStart	String	○	yyyyMMdd	yyyyMMdd000000
faceValue	Double	○		
netValue	Double	○		
orderId	String	○	1000	
requestId	String	○	10000	
saleChannelOrderId	String	○	10000	
totalCount	String	○	1000	
transDate	String	○	yyyyMMdd	yyyyMMdd

transTime	String	□	□□□□	□□ yyyyMMddHHmmss
useTimes	String	□	□□□□	
whaleTicketId	String	□	whale□Id	
saleChannelItemId	String	□	□□□□	

□□□□□

```
{
  "channelId": "136",
  "faceValue": -1,
  "makeFundsChannel": {
    "benefitAmount": 0,
    "channelBenefit": 0,
    "discountAmount": 0,
    "merchantBenefit": 0,
    "merchantCustomBenefit": -1,
    "merchantCustomRealAmount": -1,
    "merchantRealAmount": 10,
    "totalAmount": 100,
    "userRealAmount": 80
  },
  "netValue": -1,
  "orderId": "d84c1302a5e84774813bc9f1b7aaea8a",
  "orderRemark": "testtttt",
  "requestId": "d84c1302a5e84774813bc9f1b7aaea8a",
  "saleChannelOrderId": "d84c1302a5e84774813bc9f1b7aaea8a",
  "totalCount": "1",
  "transDate": "20220506",
  "transTime": "20220506215213",
  "useTimes": "12",
  "whaleTicketId": "162"
}
```

□□□□whale-gateway===>whale

□□	□□	□□□□	□□□□	□□
----	----	------	------	----

returnCode	String	□	□□□□	
returnMsg	String	□	□□□□□	
sendChannelOrderId	String	□	□□	
thirdCodeFamilySet	List< CodeFamilyInfoBO>			

□□□□□

```
{
  "returnCode": "00",
  "returnMsg": "SUCCESS",
  "sendChannelOrderId": "",
  "thirdCodeFamilySet": []
}
```