






- 
- 
- 



-



- <https://ebuywebposp-test.e-buychina.com/ebuyweb-posp/api/batchActivate>

action

- batchActivate

==>

traceNo	String			yyyyMMdd()
onlineTid	String			
activateType	String			1
posOrderNo	String		pos	pos
totalAmount	Price			
userRealAmount	Price			
receiptAmount	Price			
codeValidDays	Number			
codeValidStart	String			
codeValidEnd	String			
codeDetail	List< codeDetail >			

名称	类型	长度	必填	说明
orderRemark	String	1	否	订单备注

请求参数

```
{
  "traceNo": "TEST16876705239999000001",
  "onlineTid": "",
  "activateType": "1",
  "posOrderNo": "batchActivate1687670523",
  "totalAmount": "100",
  "userRealAmount": "100",
  "receiptAmount": "100",
  "codeValidDays": "100",
  "codeValidStart": "2023-06-18",
  "codeValidEnd": "2023-12-31",
  "codeDetail": [
    {
      "code": "10032812043865714308",
    }
  ]
}
```

返回参数==>返回

名称	类型	长度	必填	说明
traceNo	String	1	否	订单编号
orderNo	String	1	否	订单编号
transDate	String	1	否	交易日期
returnCode	String	1	否	00成功
returnDesc	String	1	否	返回描述
codeDetail	List<codeDetail>	1	否	订单详情
orderRemark	String	1	否	订单备注

返回参数

```
{
  "returnCode": "00",
  "returnDesc": "成功",
  "codeDetail": [
    {
      "code": "10032812043865714308",
      "resultCode": "SUCCESS",
      "resultDesc": "成功",
      "ticketId": "10000300000057",
      "ticketName": "成功",
      "useTimes": 1
    }
  ],
  "traceNo": "TEST16876705239999000001",
  "transDate": "20230625132210"
}
```

□□□□□□□□

□□□□

- □□□□□□□□

□□□□

- `https://ebuywebposp-test.e-buychina.com/ebuyweb-posp/api/batchUnActivate`

action

- `batchUnActivate`

□□□□□□==>□□□□

□□	□□	□□□□	□□□□	□□
traceNo	String	□	□□□□□	□□□□□□□□yyyyMMdd(□□)
onlineTid	String	□	□□□□□□□□□□	□□□□□□□□□□
codeDetail	List< codeDetail >	□	□□□□□□□□	□□□□
originalTraceNo	String	□	□□□□□□□□□□	□□□□□□□□□□□□□□Costa□
orderRemark	String	□	□□□□	□□□□□□□□□□□□□□□□□□

□□□□□□

```
{
  "traceNo": "TEST16876718849999000003",
  "onlineTid": "",
  "codeDetail": [
    {
      "code": "10032812043892009242"
    }
  ]
}
```

00000000==>000

名称	类型	是否必填	长度	格式
traceNo	String	是	16	00000000yyyyMMdd(00)00000000
orderNo	String	是	16	0000000000000000
transDate	String	是	8	0000yyyyMMddHHmmss
returnCode	String	是	4	000000000000000000000000
returnDesc	String	是	4	00000000
codeDetail	List<codeDetail>	是	16	00000000
orderRemark	String	是	4	000000000000000000000000

000000

```
{
  "returnCode": "00",
  "returnDesc": "0000",
  "codeDetail": [
    {
      "code": "10032812043892009242",
      "resultCode": "SUCCESS",
      "resultDesc": "0000",
      "ticketId": "10000300000057",
      "ticketName": "0000",
      "useTimes": 1
    }
  ],
  "traceNo": "TEST168767188499990000003",
  "transDate": "20230625134444"
}
```

□□□□□□□□□□

□□□□

- □□□□□□□□

□□□□

- `https://ebuywebposp-test.e-buychina.com/ebuyweb-posp/api/getCardInfo`

action

- `getCardInfo`

□□□□□□==>□□□

□□	□□	□□□	□□□	□□
traceNo	String	□	□□□□	□□□□□□yyyyMMdd(□□)
onlineTid	String	□	□□□□□□□□	□□□□□□□□
cardNo	String	□	□□□□	□□
orderRemark	String	□	□□□	□□□□□□□□□□□□□□□□

□□□□□

```
{
  "traceNo": "TEST16876718849999000003",
  "onlineTid": "",
  "cardNo": "9531761027959980000026"
}
```

□□□□□□==>□□□

□□	□□	□□□	□□□	□□

traceNo	String	卡号	16位	yyyyMMdd(yyyyMMdd)
orderNo	String	订单号	16位	
transDate	String	交易日期	8位	yyyyMMddHHmmss
returnCode	String	返回码	2位	00(成功)
returnDesc	String	返回描述	16位	
cardInfo	Object<cardInfo>	卡信息	16位	{returnCode:00,cardNo:}
orderRemark	String	订单备注	16位	

卡号

```
{
  "returnCode": "00",
  "returnDesc": "成功",
  "cardInfo": {
    "cardNo": "",
    "cardStatus": "11",
    "effectStartTime": 1733021696000,
    "expireTime": 1735613696000,
    "bindSuccessTime": 0,
    "lastUseTime": 0,
    "cardId": "",
    "cardName": "",
    "cardFaceValue": 0,
    "cardNetValue": 0,
    "cardBalance": 150,
    "extraInfo": ""
  },
  "traceNo": "TEST168767188499990000003",
  "transDate": "20230625134444"
}
```