



-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

- 

- 

cardType

00

01

02

03

04

05

06

07

08

09

10



• JSON Key goodsDetail

Field	Type	Required	Length	Format
goodsCategory	String	Y	4	
goodsId	String	Y	4	
goodsName	String	Y	4	8
goodsSpec	String	Y	4	8
price	Price	Y	2	2
quantity	Integer	Y	2	
rebateCode	String	Y	4	8, 3, 3
activityNo	String	Y	4	8
memo	String	Y	2	8
voucherId	String	Y	4	8



- JSON Key memberDetail [] [] [] []

[]	[]	[] [] []	[] [] []	[]
memberId	String	[]	[] [] []	
memberCode	String	[]	[] [] []	
memberName	String	[]	[] [] []	
memberPhone	String	[]	[] [] [] [] []	
grade	String	[]	[] [] []	
status	String	[]	[] [] []	
balance	Price	[]	[] [] [] []	
pointBalance	Price	[]	[] [] [] [] []	



- JSON Key `rightsDetail` [] [] []

[]	[]	[] [] []	[] [] []	[]
snCode	String	[]	[] [] []	



- JSON Key `settleRecord` [] [] [] []

[]	[]	[] [] []	[] [] []	[]
activityNo	String	[]	[] [] []	
activityName	String	[]	[] [] []	
productName	String	[]	[] [] []	
customer	String	[]	[] [] []	
isRefund	Boolean	[]	[] [] [] []	
volume	Integer	[]	[] [] []	
totalReceiptAmount	Price	[]	[] [] [] [] []	
totalAmount	Price	[]	[] [] []	



- JSON Key `transTimestamp` []

[]	[]	[]	[]	[]
traceNo	String	[]	[]	[]yyyyMMdd([])
send	String	[]	[]	Unix[],[]
recv	String	[]	[]	Unix[],[]



• JSON Key transInfo

Field	Type	Required	Format	Example
action	String	Y	action	
traceNo	String	Y	yyyyMMdd	yyyyMMddMMdd()
orderNo	String	Y	yyyyMMdd	
transDate	String	Y	yyyyMMdd	yyyyMMddHHmmss
returnCode	String	Y	00	00
returnDesc	String	Y		
paidAmount	String	Y		
activityProductNo	String	Y		
activityProductName	String	Y		+
bank	String	Y		
cardNo64	String	Y		
printContent	String	Y		



• JSON Key voucherDetail []

[]	[]	[]	[]	[]
voucherId	String	[]	[]	
voucherName	String	[]	[]	[]
voucherType	String	[]	[]	
voucherAmount	Price	[]	[]	[]
merchantDiscount	Price	[]	[]	[]
userDiscount	Price	[]	[]	[]
platformDiscount	Price	[]	[]	[]
otherDiscount	Price	[]	[]	[]
voucherCode	String	[]	[]	



• JSON Key `ecouponsData` `[[[]]]`

Field	Type	Required	Format	Example
code	String	否	字符串	
status	String	否	字符串	00:字符串,字符串
desc	String	否	字符串	
paidAmount	Price	否	字符串	字符串
receiptAmount	Price	否	字符串	字符串
invoiceAmount	Price	否	字符串	字符串
lockTime	String	否	字符串,字符串	字符串300
afterLock	String	否	字符串1.字符串0	字符串0
exchangeRate	Number(8,6)	否	字符串	1.字符串字符串
currency	String	否	字符串	字符串:CNY
discountCode	String	否	字符串	字符串字符串字符串
discountNum	Number	否	字符串	字符串字符串
tenderCode	String	否	字符串	字符串字符串字符串
activityProductNo	String	否	字符串	
activityProductName	String	否	字符串	
goodsDetail	List< goodsDetail >	否	字符串	字符串字符串字符串
fundChannel	List< fundChannel >	否	字符串	
printDetail	Object< printDetail >	否	字符串	字符串字符串字符串
memberDetail	Object< memberDetail >	否	字符串	字符串字符串
voucherDetail	List< voucherDetail >	否	字符串	字符串字符串字符串



- JSON Key `codeInfo` []

[]	[]	[]	[]	[]
code	String	[]	[]	
activityProductNo	String	[]	[]	
ext	String	[]	[]	



• JSON Key extendsData [] [] [] []

Field Name	Type	Required	Description	Example
vUseInfo	String	[]	[] [] [] []	
vDiscountDesc	String	[]	[] [] [] []	
vUseRule	String	[]	[] [] [] []	
activityProductId	String	[]	[] [] [] id	
userRealAmount	Price	[]	[] [] [] [] []	[] []
defaultGoodsId	String	[]	[] [] [] D [] id	[] [] [] [] goodsDetail [] size [] 1 [] [] [] [] []
oriCode	String	[]	[] [] [] [] [] [] []	
ticketType	String	[]	[] [] [] []	-----[] ticketType----- ebuy[]: cashCoupon ebuy[] merchandiseCoupon ebuy[] discountCoupon ebuy[] fullReduceCoupon ebuy[] buyGetCoupon
cardSearchCode	String	[]	[] [] [] [] [] [] [] []	



- JSON Key `pointDetail` [] [] [] []

[]	[]	[] [] []	[] [] []	[]
activityNo	String	[]	[] [] [] [] []	
points	Integer	[]	[] [] []	



• JSON Key purchaseOrder

Field	Type	Required	Format	Example
mid	String	Y	10	
tid	String	Y	10	
merchantName	String	Y	10	
acquire	String	Y	10	
issuer	String	Y	10	
cardNo	String	Y	16	
batchNo	String	Y	4	
voucherNo	String	Y	4	
authNo	String	Y	4	
referNo	String	Y	10	
date	String	Y	8	
expDate	String	Y	4	
transType	String	Y	4	0000
amount	String	Y	10	
wildcard	String	Y	10	
TC	String	Y	TC	
ARQC	String	Y	ARQC	
TVR	String	Y	TVR	
TSI	String	Y	TSI	
AID	String	Y	AID	
ATC	String	Y	ATC	
APPLAB	String	Y	APPLAB	
APPName	String	Y	APPName	
reMark	String	Y	10	0000 LLVAR MIS-POS Client 00000000 MIS POS Client 0000EMV-POS 0000/DUPLICATED 0000



□□□□

JSON Key voucherBox □□□□□□□□□□

□□	□□	□□□□	□□□□	□□
boxId	String	□	□□□□	
voucherPkg	List<voucherPkg>	□	□□□□□	

□□□□

JSON Key voucherPkg □□□□□□□□□□

□□	□□	□□□□	□□□□	□□
pkgId	String	□	□□□□	
voucherReel	List<voucherReel>	□	□□□□□	

□□□□

JSON Key voucherReel □□□□□□□□□□

□□	□□	□□□□	□□□□	□□
reelId	String	□	□□□□	
codeDetail	List<codeDetail>	□	□□□□	

□□□□

□□	□□	□□□□	□□□□	□□
code	String	□	□□□□	
saleChannelOrderId	String	□	□□□□□□	
saleChannelName	String	□	□□□□	
sendChannelName	String	□	□□□□	
remainTimes	Integer	□	□□□□□	

属性名	属性型	必須	制約	フォーマット
createDate	String	○		yyyyMMdd
createTime	String	○		yyyyMMddHHmmss
validStart	String	○		yyyyMMddHHmmss
validEnd	String	○		yyyyMMddHHmmss
activateDate	String	○		yyyyMMdd
activateTime	String	○		yyyyMMddHHmmss
activateShopNo	String	○		
verifyDate	String	○		yyyyMMdd
verifyTime	String	○		yyyyMMddHHmmss
status	String	○		
statusDesc	String	○		
cityCheck	String	○		Y/N
ticketId	String	○		
ticketName	String	○		
activityId	String	○		
activityName	String	○		
faceValue	Number	○		
shopNo	String	○		
shopName	String	○		
cityName	String	○		

□□	□□	□□□□	□□□□	□□
cityCode	String	□	□□□□	□□□



- JSON Key `accountInfo` [] [] []

[]	[]	[] [] []	[] [] []	[]
memberCode	String	[]	[] [] []	accountType [] [] [] [] [] [] [] []
accountType	String	[]	[] [] [] 1: [] [] [] ID, 2: [] [] [] [], 3: [] [] [] ID, 4: [] [] OPENID [] [] [] [] [] [] []	



- JSON Key point [] [] [] []

[]	[]	[] [] []	[] [] []	[]
points	String	[]	[] [] []	
deductileAmount	String	[]	[] [] [] []	
validDate	String	[]	[] [] [] [] []	[] [] YYYYMMDDhhmmss
invalidPoints	String	[]	[] [] [] [] []	

□□	□□	□□□	□□□	□□
defaultGoodsId	String	□	□□□□ id□□□□□	
goodsDetail	List< goodsDetail >	□	□□□□	



• JSON Key codeDetail

Field	Type	Required	Example	Length
code	String	Y	0000	0000000000
password	String	Y	0000	000000
ticketId	String	Y	0000jd	0000
ticketName	String	Y	00000	0000
useTimes	Number	Y	0000	0000
resultCode	String	Y	00000	0000
resultDesc	String	Y	000000	0000
cardNetValue	Price	Y	00000000	000000



- JSON Key verifyOptions verifyToken poild orderList

Field	Type	Required	Description	Example
verifyToken	String	Required	token (4 bytes, 64 characters)	
poild	String	Required		
orderInfo	OrderInfo	Required	OrderInfo	
OrderInfo				
orderId	String	Required		
certificateId	String	Required	certificate_id	certificateId timesCardInfo
timesCardInfo	TimesCard	Required	TimesCard	
TimesCard				
code	String	Required	ID certificate_id	
times	Integer	Required	0	