



-



-

action

-

===>

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
traceNo	String	<input type="text"/>	<input type="text"/>	<input type="text"/> yyyyMMdd(<input type="text"/>)
transCount	Integer	<input type="text"/>	<input type="text"/>	<input type="text"/> transRecordList(<input type="text"/>)
beginTime	String	<input type="text"/>	<input type="text"/>	<input type="text"/> yyyyMMddHHmmss
endTime	String	<input type="text"/>	<input type="text"/>	<input type="text"/> yyyyMMddHHmmss
transRecord	List< transRecord >	<input type="text"/>	<input type="text"/>	<input type="text"/> 5000



```
{
  "traceNo": "99000009100010101732123",
  "transCount": 3,
  "beginTime": "20161231102201",
  "endTime": "20161231102230",
  "transRecord": [
    {
      "traceNo": "99000009100010101732123",
      "paidAmount": 100.00,
      "status": 0
    },
    {
```

```
    "traceNo": "99000009100010101732123",
    "paidAmount": 200.00,
    "status": 0
  },
  {
    "traceNo": "99000009100010101732123",
    "paidAmount": 300.00,
    "status": 0
  }
]
```

=====>

traceNo	String			,yyyyMMdd()
transDate	String			yyyyMMddHHmmss
returnCode	String			00
returnDesc	String			
transRecord	List<transRecord>			5000

```
{
  "traceNo": "99000009100010101732123",
  "transDate": "20161231120533",
  "returnCode": "00",
  "returnDesc": "SUCCESS",
  "transRecord": [
    {
      "traceNo": "99000009100010101732123",
      "paidAmount": 100.00,
      "status": 1
    },
    {
      "traceNo": "99000009100010101732123",
      "paidAmount": 200.00,
      "status": 2
    },
  ]
}
```

```
"traceNo": "99000009100010101732123",  
"paidAmount": 300.00,  
"status": 3  
}  
]  
}
```

Revision #4

Created 29 July 2021 14:14:50 by zhangkexin

Updated 17 August 2021 16:41:46 by zhangkexin