

# □□□□API

- □□□□
- □□□□
- □□□□



/payment/tradePay



bizContent		traceNo	paymentChannelId	merOrderNo	orderAmount	totalAmount	deviceNo	storeId	storeName	returnOptions	goodsTag	authCode	subject	orderTime	notifyUrl	goodsDetailList	__gid	__gname	__gquantity
		String(32)	String(32)	String(32)	Number	Number	String(32)	String(32)	String(256)	String[(300)]	String(32)	String(32)	String(256)	String(19)	String(200)	List	String(32)	String(256)	Number
														yyyy-MM-dd HH:mm:ss					

名称		类型	长度	必填
data	price	Number		
	category	String(32)		

请求体

```
"bizContent": {
  "traceNo": "20240710112246541_11130101",
  "merOrderNo": "0007525202407100000835",
  "totalAmount": 3300,
  "deviceNo": "83520001",
  "storeId": "111301",
  "goodsTag": "",
  "authCode": "132951513806421759",
  "subject": "微信支付",
  "notifyUrl": "",
  "goodsDetailList": [
    {
      "gid": "010403",
      "gname": "微信支付",
      "quantity": 1,
      "price": 3300,
      "category": "2"
    }
  ]
}
```

响应体

名称		类型	长度	必填
data	payChannel	String(32)		wxpayalipayfu
	transactionNo	String(32)		
	paymentNo	String(40)		

traceNo	□□□□	String(32)	□	□□□□□□
transTime	□□□□	String(19)	□	yyyy-MM-dd HH:mm:ss
account	□□□□	String(40)	□	
openId	□□□□□□	String(128)	□	
totalAmount	□□□□	Number	□	□□□□□□□□
receiptAmount	□□□□	Number	□	□□□
mdiscountAmount	□□□□□□	Number	□	□□□
discountAmount	□□□□□□	Number	□	□□□
payAmount	□□□□□□	Number	□	□□□
invoiceAmount	□□□□□□□□	Number	□	□□□
storeName	□□□□□□	String(200)	□	
voucherDetailList	□□□□□□□□□□	List	□	
activityId	□□ID□□□□ID	String(32)	□	
id	□□ID	String(32)	□	
name	□□□	String(64)	□	
type	□□□	String(32)	□	
amount	□□□	Number	□	□□□
merchantContribute	□□□□	Number	□	□□□
otherContribute	□□□□□□	Number	□	□□□
purchaseBuyerContribute	□□□□□□□□	Number	□	□□□
purchaseMerchantContribute	□□□□□□□□	Number	□	□□□

purchaseAntContribute	XXXXXXXXXX	Number		XX
-----------------------	------------	--------	--	----

XXXX

```
{
  "data": {
    "payChannel": "wxpay",
    "transactionNo": "",
    "paymentNo": "4200002227202407102297768192",
    "traceNo": "20240710112246541_11130101",
    "transTime": "2024-07-10 11:28:54",
    "account": "",
    "openId": "o2Jh6jtk9v28kSk2GUuyqhtdzUTs",
    "totalAmount": 3300,
    "receiptAmount": 3300,
    "mdiscountAmount": 0,
    "discountAmount": 0,
    "payAmount": 3300,
    "invoiceAmount": 3300,
    "storeName": "xxxXXXXXXXXXX"
  }
}
```



/payment/query



请求参数		参数名	参数类型	是否必填	备注
bizContent	traceNo	字符串	String(32)	是	业务流水号
	originalTraceNo	字符串	String(32)	否	原始业务流水号
	originalDate	字符串	String(8)	否	原始业务日期



```
"bizContent": {
  "traceNo": "20240710112246541_11140102",
  "originalTraceNo": "20240710112246541_11130101",
  "originalDate": 20240710
}
```



返回参数		参数名	参数类型	是否必填	备注
data	payChannel	字符串	String(32)	否	支付方式
	transactionNo	字符串	String(32)	否	交易流水号
	paymentNo	字符串	String(40)	否	支付流水号
	traceNo	字符串	String(32)	否	业务流水号
	transTime	字符串	datetime	否	交易时间
	account	字符串	String(40)	否	账户号

openId	String(128)		
totalAmount	Number		
receiptAmount	Number		
mdiscountAmount	Number		
discountAmount	Number		
payAmount	Number		
invoiceAmount	Number		
storeName	String(200)		

```
{
  "data": {
    "payChannel": "wxpay",
    "transactionNo": "",
    "paymentNo": "4200002227202407102297768192",
    "traceNo": "20240710112246541_11130101",
    "transTime": "2024-07-10 11:28:54",
    "account": "",
    "openId": "o2Jh6jtk9v28kSk2GUuyqhtdzUTs",
    "totalAmount": 3300,
    "receiptAmount": 3300,
    "mdiscountAmount": 0,
    "discountAmount": 0,
    "payAmount": 3300,
    "invoiceAmount": 3300,
    "storeName": "xxx"
  }
}
```



refundNo	XXXXXXXX	String(40)	□	
transTime	XXXX	datetime	□	
refundAmount	XXXXXXXX	Number	□	XX
storeName	XXXXXX	String(200)	□	

XXXX

```
{
  "data": {
    "traceNo": "20240906NJ0070101960163503934",
    "refundNo": "20240906NJ0070101960163406444",
    "transTime": "2024-07-10 11:28:54",
    "refundAmount": 13,
    "storeName": "xxxXXXXXXXX"
  }
}
```