

# e-Buy

- 

- 

  - 

  - 

  - 

- 

  - 



- [ ] [ ] [ ] [ ] HTTP POST [ ] [ ] [ ]
- [ ] [ ] [ ] [ ] UTF-8
- [ ] [ ] [ ] [ ]





□□	□□□
□□	<a href="https://uat-paas-gateway.e-buy.com">https://uat-paas-gateway.e-buy.com</a>
□□	<a href="https://paas-gateway.e-buy.com">https://paas-gateway.e-buy.com</a>

□□□□



□□	□□	□□□□	□□	□□□□
uuid	string	□□	□□□□	□□□□: 50 □□□□: 1 mock: @now('yyyyMMdd')-@string('lower',32)
appId	string	□□	□□AppId	□□□□: 50 □□□□: 1 mock: @natural
action	string	□□	□□□□	□□□□: 50 □□□□: 1 mock: cancel
timestamp	number	□□	□□□□	□□□: 14 □□□: 0 mock: @timestamp
signType	string	□□	□□□□	□□□□: 20 □□□□: 1 mock: sha256
sign	string	□□	□□□	□□□□: 500 □□□□: 1 mock: @natural
lang	string	□□	□□	□□□□: 50 □□□□: 1 mock: zh_CN
content	object	□□	□□□□	□□: □□□□

□□□□



□□	□□	□□□□	□□	□□□□
uuid	string	□□	□□□□	□□□□: 50 □□□□: 1 mock: @now('yyyyMMdd')-@string('lower',32)
success	boolean	□□	□□□□□□	mock: @boolean
action	string	□□	□□□□	□□□□: 50 □□□□: 1 mock: cancel
timestamp	number	□□	□□□□□	mock: @timestamp
errorCode	string	□□	□□□	□□□□: 50 □□□□: 0 mock: @word
errorMessage	string	□□	□□□□	□□□□: 50 □□□□: 0 mock: @csentence
signType	string	□□	□□□□	□□□□: 20 □□□□: 0 mock: sha256
sign	string	□□	□□□	□□□□: 500 □□□□: 0 mock: @natural
content	object	□□	□□□□	□□: □□□□





[yapi\_interface]35917[/yapi\_interface]