




- 



- [MIS-POS](#)

## action

- refundCardSale



□□	□□	□□□□	□□□□	□□
traceNo	String	□	□□□□□	□□□□
originalTraceNo	String	□	□□□□□□	□□□□□□□□□□
refundAmount	Price	□	□□□□□	□□□□
acquirer	String	□	□□□□	□□citicCashpay□□□□□□□□



```
{
  "traceNo": "99000009100010101732123",
  "originalTraceNo": "99000009100010101732124",
  "refundAmount": 40.8,
  "acquirer": "citicCashpay"
}
```



□□	□□	□□□□	□□□□	□□
traceNo	String	□	□□□□□	□□□□

名称	类型	必填	长度	格式
orderNo	String	否	10	
transDate	String	否	10	YYYYmmddHHMMSS
returnCode	String	否	10	00XXXXXXXXXX
returnDesc	String	否	10	XXXXXXXXXX
discountCode	String	否	10	XXXXXXXXXXXX2016
tenderCode	String	否	10	XXXXXXXXXXXX2016
refundAmount	Price	否	10	XXXXXX
fundChannel	List<fundChannel>	否	10	
printDetail	Object<printDetail>	否	10	XXXXXXXXXXXX
memberDetail	Object<memberDetail>	否	10	XXXXXXXXXX

XXXXXXXXXX

```

{
  "traceNo": "99000009100010101732123",
  "orderNo": "171698602301",
  "transDate": "20161231120533",
  "returnCode": "00",
  "returnDesc": "SUCCESS",
  "discountCode": "0001",
  "tenderCode": "8001",
  "refundAmount": 40.8,
  "fundChannel": [
    {
      "channelNo": "001",
      "channelName": "XXXXXXXX",
      "channelAmount": "20.8"
    }
  ],
  "printDetail": "XXXXXXXXXXXX",
  "memberDetail": "XXXXXXXXXX"
}

```

```
    "channelNo": "002",
    "channelName": "□□□□□",
    "channelAmount": "20"
  }
],
"printDetail": {
  "cardNo64": "622562****8888",
  "bank": "□□□□",
  "paymentOrderNo": "201612315689412157458787",
  "pointSale": "20000",
  "qrCode1": "htt://www.xxx.com/url",
  "qrCode2": "",
  "qrCode3": "",
  "barCode1": "12345679",
  "barCode2": "",
  "barCode3": ""
},
"memberDetail": {
  "memberId": "M000001545",
  "memberName": "TONY",
  "grade": "1",
  "status": "1",
  "balance": 1000.00,
  "pointBalance": 30000
}
}
```



- cardPayment
- CardRedemption

Revision #2

Created 8 September 2021 17:32:22 by zhangkexin

Updated 9 September 2021 13:28:16 by zhangkexin