




- 
- 
- 
- 
- 



- [MIS-POS](#)

## action

- 



traceNo	String			
activityProductNo	String			BIN
memberDetail	Object< <a href="#">memberDetail</a> >			



```
{
  "traceNo": "99000009100010101732123",
  "activityProductNo": "HDCP0000000001236",
  "memberDetail": {
    "memberId": "M000001545",
    "memberName": "TONY",
    "grade": "1",
    "status": "1",
    "balance": 1000.00,
```

```

    "pointBalance": 30000
  }
}

```

□□□□□□□□□□ = = = > □□□□

□□	□□	□□□□	□□□□	□□
traceNo	String	□	□□□□□	□□□□□
orderNo	String	□	□□□□□	□□□□
transDate	String	□	□□□□	□□□□YYYYmmddHHMMSS
returnCode	String	□	□□□	00□□□□□□□□□□
returnDesc	String	□	□□□□	□□□□□□□□□□
rightsTimes	Integer	□	□□□□	□□□□□□□□□□
moneyBalance	Price	□	□□□□	□□□□
pointBalance	Price	□	□□□□	□□□□
printDetail	Object< <a href="#">printDetail</a> >	□	□□□□	□□□□□□□□□□□□
memberDetail	Object< <a href="#">memberDetail</a> >	□	□□□□	□□□□□□□□□□

□□□□□□□□

```

{
  "traceNo": "99000009100010101732123",
  "orderNo": "171698602301",
  "transDate": "20161231120533",
  "returnCode": "00",
  "returnDesc": "SUCCESS",
  "rightsTimes": 1,
  "moneyBalance": 40.8,
  "pointBalance": 40000,
  "printDetail": {
    "cardNo64": "622562****8888",
    "bank": "□□□□",
    "paymentOrderNo": "201612315689412157458787",
    "pointSale": "0",
    "qrCode1": "htt://www.xxx.com/url",
    "qrCode2": "",
    "qrCode3": ""
  }
}

```

```
"barCode1": "12345679",
"barCode2": "",
"barCode3": ""
},
"memberDetail": {
  "memberId": "M000001545",
  "memberName": "TONY",
  "grade": "1",
  "status": "1",
  "balance": 1000.00,
  "pointBalance": 30000
}
}
```

---

Revision #2

Created 8 September 2021 17:39:41 by zhangkexin

Updated 9 September 2021 13:51:13 by zhangkexin