



1. []
2. []
3. []
4. []
- 5.



1. []N[]O[]
2. []callReturnCode[]
[]body[]returnCode[]



```
{
  "action": "merchantGetCodeImpl", //N[action][ ]action
  "uid": "sg_1458_001", //N[ ][ ]
  "psw": "F52FB1124231E6BA683F5C2CB5C8ADF6", //N[ ][ ]1.4
  "body": { //N[ ][ ]1.4
    "orderNo": "12345678920",
    "totalAmount": 0.01,
    "goodsDetail": [{
      "goodsId": "434",
      "goodsName": "[ ]",
      "price": 0.01,
      "quantity": 1
    }]
  },
  "sign": "xxxxxxx" //N[ ][ ]1.5
}
```



```

{
  "sign": "xxxxxxx", //N[ ]1.5
  "body": { //N[ ]1.4
    "returnCode": "00",
    "orderNo": "12345678920",
    "returnDesc": "[ ]",
    "orderNoQrcode": "http://qrpctest.e-
buychina.com.cn/api/user/0D8DF0B717B4190292B8A6044DDC1B9B65CE6B244F3706A70BCD9C7C5802C15D0C
59789C48F7F308572C6DFFD4694C7F730A27C2290BA9B1DFFA97C8AE14A731"
  },
  "callReturnCode": "00", //N[ ]
  "callReturnDesc": "Interface call success", //N[ ]
  "action": "merchantGetCodeImpl", //N[action[ ]]
}

```

body[]

body[]body[]SON[]Base64[]

body[]Base64[]

psw[]MD5(uid + MD5[]psw[])

MD5[]32[]

sign[]

1. []sign[]key[]key1=value1&key2=value2&key3=value3&.....[]KEY=xxxx[]r
2. []MD5[]32[]
3. []

[]

1. []HTTPS[]UTF-8[]son

1. []

<https://qrpctest.e-buychina.com.cn/api/openApi/merchant>

1. []

uid[]sg_1458_001

psw[654321

key[499E8A1D1E295E76688A5D9B695312E9

Revision #3

Created 7 September 2021 17:52:15 by zhangkexin

Updated 7 September 2021 18:29:21 by zhangkexin